ATTESTATION OF CONFORMITY

Issued to:	Matrix Lighting Limited Room 223-231, 2/F., East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Tsim Sha Tsui East, Kowloon, Hong Kong		
For the product:	LED MR16 lamp		
Trade name:	VIRIBRIGHT		
Type/Model:	S42ML2-5, S42ML4-5, S42ML6-5, P42ML2-5, P42ML4-5, P42ML6-5		
Ratings:	12 Vdc or 12 Vac, 50/60 Hz , 580 mA, GU5.3, non-replaceable/LEDs, non-dimmable (Details refer to annex)		
Manufactured by:	Matrix Lighting Limited Room 223-231, 2/F., East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Tsim Sha Tsui East, Kowloon, Hong Kong		
Requirements:	EN 62493:2010 EN 62560:2012 EN 62471:2008		

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no. 4322241.50 + 4322242.51 + 4322241.55.

This Attestation implies that the examined types are in accordance with the standards designated under the Low Voltage Directive (LVD) 2006/95/EC.

The examination has been carried out on one single specimen of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

Guangzhou, 28 October 2015

Number: 4322241.01AOC

CE

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou branch

293a Zhon

Rosa Zhou Certification Manager

© Integral publication of this attestation and adjoining reports is allowed

The CE marking may be affixed on the product if all relevant and effective EC directives are complied with

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou branch Block A3, No 3 Qiyun Road Science City, Guangzhou Hi-Tech Industrial Dev. Zone, 510663 Guangzhou, China T +86 20 6661 2000 F +86 20 6661 2001 www.dekra-certification.com



Annex

Document no.

: 4322241.01AOC

Ratings:

Models	CCT (K)	Rated Wattage (W)	Rated current (mA)	Type of lamp cap
P42ML2-5	2700	4,2	580	GU5.3 (beam angle is 140 degree
P42ML4-5	4000			
P42ML6-5	6000			
S42ML2-5	2700			GU5.3 (beam angle is <90 degree
S42ML4-5	4000			
S42ML6-5	6000			

End